

## Avide Tri-proof fixture for 1 LED Tube 1.2m

**Product code:** ATPF-1X36W  
**Brand link:** [avidelighting.com/qr/ATPF-1X36W](https://avidelighting.com/qr/ATPF-1X36W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2024-04-16

**Page:** 1/3

### SPECIFICATIONS

**EAN code:** 5999097916408  
**Warranty:** 5year(s)  
**Working temperature:** -20C° - + 50C°  
**Packaging:** 1/b 12/c 144/p  
**Certifications:** CE

### TECHNICAL DETAILS

**Wattage:**  
**Voltage:** AC85-265V  
**Beam angle:**  
**Dimmability:** No  
**Lumen output:**  
**Color temperature:**  
**Lifetime:**  
**Energy class:**  
**Type of LED:**  
**IP standard:** IP65

### PRODUCT PICTURE



## Avide Tri-proof fixture for 1 LED Tube 1.2m

**Product code:** ATPF-1X36W  
**Brand link:** [avidelighting.com/qr/ATPF-1X36W](https://avidelighting.com/qr/ATPF-1X36W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-04-16

Page: 2/3

### PRODUCT SIZE

Diameter:  
Length: 1 260mm

### CARDBOARD BOX

EAN: 5999097916408  
Packaging: 1/b 12/c 144/p  
Dimensions: 75mm x 65mm x 1 270mm  
Net weight: 820g  
Gross weight: 1 275g

### CARTON

EAN: 5999097916415  
Packaging: 1/b 12/c 144/p  
Dimensions: 1 280mm x 280mm x 265mm  
Net weight: 9.84kg  
Gross weight: 15.3kg


### PALLET EXAMPLE

Height:  
Width: 120cm (std Euro pallet)  
Mepth: 80cm (std Euro pallet)  
Cartons per pallet: 12carton/pallet  
Cartons per row:  
Net weight: 118.08kg  
Gross weight: 183.6kg

### PRODUCT PICTURE



### PRODUCT OUTLINE



Avide Tri-proof fixture for 1 LED Tube 1.2m

**Product code:** ATPF-1X36W  
**Brand link:** [avidelighting.com/qr/ATPF-1X36W](https://avidelighting.com/qr/ATPF-1X36W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



**Date of issue:** 2024-04-16

**Page:** 3/3

PRODUCT DESCRIPTION