

## Avide Exit Light IP20

<b>Product code:</b>	AEXITL-IP20
<b>Brand link:</b>	<a href="https://avidelighting.com/qr/AEXITL-IP20">avidelighting.com/qr/AEXITL-IP20</a>
<b>ID:</b>	AB-190518
<b>Company name:</b>	Bramcke Hungary Kft.
<b>Company address:</b>	Kisatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-04-23

Page: 1/3

### SPECIFICATIONS

EAN code:	5999097911229
Warranty:	3year(s)
Color:	White
Material:	ABS+Acryl
Working temperature:	-10 - +45 °C
Packaging:	1/b 10/c 280/p
Certifications:	CE
Accessories:	Self-adhesive stickers

### TECHNICAL DETAILS

Wattage:	1W
Voltage:	220-240V
Beam angle:	360°
Dimmability:	No
Lumen output:	20lm
Color temperature:	6 000K
Lifetime:	50 000h
Energy class:	
Type of LED:	DIP
Number of LEDs:	5pcs
Battery type:	Ni-Cd 3-6V, 500mAh
Emergency light:	180min
Recharge time:	24h
IP standard:	IP20

### BOX PICTURE



## Avide Exit Light IP20

<b>Product code:</b>	AEXITL-IP20
<b>Brand link:</b>	<a href="https://avidelighting.com/qr/AEXITL-IP20">avidelighting.com/qr/AEXITL-IP20</a>
<b>ID:</b>	AB-190518
<b>Company name:</b>	Bramcke Hungary Kft.
<b>Company address:</b>	Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-04-23

Page: 2/3

### PRODUCT SIZE

Width:	370mm
Height:	225mm
Depth:	46mm

### CARDBOARD BOX

EAN:	5999097911229
Packaging:	1/b 10/c 280/p
Dimensions:	375mm x 55mm x 235mm
Net weight:	416g
Gross weight:	485g

### CARTON

EAN:	5999097911236
Packaging:	1/b 10/c 280/p
Dimensions:	570mm x 395mm x 250mm
Net weight:	4.16kg
Gross weight:	4.85kg


### PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Depth:	80cm (std Euro pallet)
Cartons per pallet:	28carton/pallet
Cartons per row:	
Net weight:	116.48kg
Gross weight:	135.8kg

### PRODUCT PICTURE



### PRODUCT OUTLINE



## Avide Exit Light IP20

<b>Product code:</b>	AEXITL-IP20
<b>Brand link:</b>	<a href="https://avidelighting.com/qr/AEXITL-IP20">avidelighting.com/qr/AEXITL-IP20</a>
<b>ID:</b>	AB-190518
<b>Company name:</b>	Bramcke Hungary Kft.
<b>Company address:</b>	Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-04-23

Page: 3/3

## PRODUCT DESCRIPTION

The Avide LED exit light is an edge-lit product with adhesive pictograms and 1 W output providing constant light. Back-up time in the case of a power failure is 180 minutes.

It can be mounted in four different ways (the sign can be mounted on the wall and ceiling alike and can also be rotated 90 °).

- suspended from a chain (80 cm)
- mounted on the ceiling
- mounted on a vertical wall in two different ways. Note that the product may also be mounted laterally with the set provided!

Contents of the box : light fixture, clear acrylic sheet, lateral mounting kit, 80 cm suspension chain, two types (horizontal, 45 °) of direction indicating arrows, pictograms with figure running to the right and left, complete instructions for use and installation in English and Hungarian.