## Datasheet and description



# Avide LED Glass Tube 9W G13 600mm CW 6400K 120lm/W

**Product code:** AB600T8-9W-CW-GL-IL

**Brand link:** avidelighting.com/qr/AB600T8-9W-CW-GL-IL

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2024-05-03

Page: 1/3

#### **SPECIFICATIONS**

EAN code: 5999097925462

Warranty: 2year(s)
Working temperature: -20 - +40°C
Packaging: 1/b 25/c 1350/p

Certifications: CE

#### **PRODUCT PICTURE**



#### **TECHNICAL DETAILS**

Wattage: 9W

Voltage: 180-265V
Beam angle: 240°
Dimmability: No
Lumen output: 1 130lm

Lumen output: 1 130lm
Color temperature: 6 400K
Lifetime: 25 000h
Energy class: A+

Type of LED: SMD
IP standard: IP20

## Datasheet and description



# Avide LED Glass Tube 9W G13 600mm CW 6400K 120lm/W

**Product code:** AB600T8-9W-CW-GL-IL

**Brand link:** avidelighting.com/qr/AB600T8-9W-CW-GL-IL

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2024-05-03

Page: 2/3

#### **PRODUCT SIZE**

Diameter: 26mm Length: 600mm

#### **CARDBOARD BOX**

EAN: 5999097925462 Packaging: 1/b 25/c 1350/p

Dimensions: 30mm x 30mm x 645mm

Net weight: 111.5g Gross weight: 120g

#### **CARTON**

EAN: 5999097925479 Packaging: 1/b 25/c 1350/p

Dimensions: 665mm x 190mm x 195mm

Net weight: 2.7875kg
Gross weight: 3kg

#### **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)

Mepth: 80cm (std Euro pallet)

Cartons per pallet: 54carton/pallet

Cartons per row:

Net weight: 150.525kg
Gross weight: 162kg

#### **PRODUCT PICTURE**

**PRODUCT OUTLINE** 

### Datasheet and description



## Avide LED Glass Tube 9W G13 600mm CW 6400K 120lm/W

**Product code:** AB600T8-9W-CW-GL-IL

**Brand link:** avidelighting.com/qr/AB600T8-9W-CW-GL-IL

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



Date of issue: 2024-05-03

Page: 3/3

#### **PRODUCT DESCRIPTION**

The Avide LED dust- and moisture-proof fixtures for tubes represent the energy-saving versions of traditional fittings. The fixtures of different lengths replacing the tube fixtures have a built-in LED panel that guarantees energy-saving operation. In terms of the material used, the products have a break-resistant cover. Due to the IP65 protection of the fixture, it is protected from dust and moisture, thus can also be operated at places with higher exposure to dust and humidity.

The product range includes a 1 and 2 LED design, in lengths of 0.6, 1.2 and 1.5 meter lengths, with a transparent cover.

OUR IP protected fixture category includes numerous additional products. Learn more about these on the following link.